ISSN : 2455-135X

AI- BASED VOICE CONTROLLED ROBOT FOR HUMAN INTERACTION

Varsha K, Kavitha A S * , Sanjana Bai M R , Sahana S
Department of Artificial Intelligence And Machine Learning
East West Institute Of Technology, Bengaluru, India

Abstract-In this paper, the service robot named "Black Bot" as receptionist robot is descried, that is a small three-wheeled mobile platform with a differential drive, which was controlled by a miniPc. The Backlot could sense its surroundings with the aid of various electronic sensors while mechanical actuators were used to move it around. Robot's behaviour was determined by the program, which was loaded to the microcontrollers and Pc. The experiment results demonstrated the feasibility and advantages of this predictive control on the trajectory tracking of a mobile robot. The service robot is designed to assist humans with reception tasks. The robot will interact closely with a group of humans in their everyday environment. This means that it is essential to create models for natural and intuitive communication between humans and robots. In this paper, the service robot named "Black Bot" as receptionist robot is descried, that is a small three-wheeled mobile platform with a differential drive, which was controlled by a mini Pc.

i). Introduction

Modern robotics is undergoing a major transformation from traditional automation-based systems to intelligent, interactive, and adaptive systems. Earlier robotic systems were primarily designed to perform repetitive and predefined tasks in controlled environments such as manufacturing industries. These systems lacked flexibility, adaptability, and the ability to interact naturally with humans.

With the rapid advancement of Artificial Intelligence (AI), Machine Learning (ML), Natural Language Processing (NLP), and Human-Robot Interaction (HRI), robots are now capable of understanding and responding to human inputs in a more natural and efficient manner. AI enables robots to learn from data, NLP allows them to process and interpret human language, and HRI focuses on improving communication between humans and machines.

According to recent research on service robots, modern robotic systems are expected to operate in shared human environments, such as homes, hospitals, and workplaces.

In such environments, robots must possess the following capabilities:

Reaal-time interaction: Ability to respond instantly to user commands without noticeable delay
Context understanding: Ability to interpret the meaning and intent behind human instructions
Autonomous decision-making: Ability to take appropriate actions without constant human supervision
Furthermore, advanced AI-based robotic systems integrate speech recognition, natural language understanding, and command generation techniques. These systems convert spoken language into structured commands that can be processed by machines. In some research implementations, voice commands are transformed into machine-readable formats such as structured data (e.g., JSON), enabling accurate execution of tasks.

In addition, modern systems may combine voice input with other modalities such as gesture recognition and computer vision to improve accuracy and reliability. However, such systems often require high computational power and complex architectures.

In contrast, this project focuses on developing a simplified and cost-effective AI-based voice-controlled robot that demonstrates the core concept of natural human-robot interaction. Instead of using complex AI models, the system uses a speech recognition module combined with a microcontroller-based control system to interpret and execute basic commands such as movement and stopping.

The primary objective is to create a system that is:

- Easy to use for non-technical users
- Capable of real-time response

ISSN : 2455-135X

- Scalable for future enhancements
- Suitable for practical applications such as assistive robotics and smart environments.

Ii). LITERATURE REVIEW

The field of **Human-Robot Interaction (HRI)** has rapidly evolved with the integration of Artificial Intelligence (AI), Natural Language Processing (NLP), and speech recognition technologies. Voice-controlled robots are becoming an essential part of modern intelligent systems due to their ability to provide natural and intuitive communication between humans and machines.

A.VOICE- BASED HUMAN – ROBOT INTERACTION SYSTE

Early research focused on enabling robots to understand human speech as a primary communication medium. A study by Badr et al. presents a comprehensive review of voice-based interfaces in HRI, emphasizing **feature extraction, dimensionality reduction, and semantic understanding** as key stages in speech processing . These components form the foundation for modern voice-controlled robotic systems.

A. AI and Machine Learning in Voice-Controlled Robot

Recent advancements integrate AI techniques such as **Deep Neural Networks (DNNs)** and Natural Language Processing (NLP). Research on industrial robots shows that speech recognition systems based on DNNs significantly outperform traditional algorithms in command recognition accUracy.

Real-Time Voice Interaction and Autonomous Systems

Modern systems focus on real-time interaction and autonomy. A voice-interactive mobile robot designed using Automatic Speech Recognition (ASR) and SLAM algorithms can interpret commands and navigate environments simultaneously . This integration is crucial for service robots used in homes, hospitals, and industries.

Advanced Computational Models for Auditory Interaction

To improve efficiency and reduce power consumption, researchers have explored **brain-inspired models** such as Spiking Neural Networks (SNNs). The HuRAI model integrates voice detection, localization, and recognition into a unified framework, enabling real-time processing on low-power devices

Applications of Voice-Controlled Robots

Voice-controlled robots are widely used in:

- **Healthcare** – patient assistance and elderly care
- **Industrial automation** – hands-free robot control
- **Smart homes** – personal assistant robots
- **Service robots** – customer interaction and guidance

Research Gaps

Despite significant progress, several challenges remain:

- Speech recognition accuracy in **noisy environments**
- Handling **multiple languages and accents**
- Improving **context awareness and emotion understanding**
- Ensuring **real-time performance with low computational cost**

iii).PROBLEM DEFINITION

Human–robot interaction (HRI) has become a critical area in robotics, especially with the growing need for intelligent assistants in domains such as healthcare, education, service industries, and smart homes. Despite advancements in Artificial Intelligence and Natural Language Processing, existing robotic systems still face significant limitations in achieving seamless, natural, and reliable voice-based interaction with human

Current voice-controlled robots often struggle with **speech recognition accuracy**, particularly in real-world environments that include background noise, multiple speakers, and diverse accents. Additionally, these systems lack the ability to understand **context, intent, and emotional cues**, resulting in rigid and less intuitive interactions. Many existing solutions rely on predefined commands rather than adaptive conversational capabilities, which restricts their usability in dynamic environments.

IV).EXISTING SOLUTIONS AND THEIR SHORTCOMINGS

. Voice Assistant–Based Robots

Examples: Alexa-enabled robots, Google Assistant robots

Working:

- Use Speech-to-Text (STT) → Intent Recognition → Action → Text-to-Speech (TTS)

ISSN : 2455-135X

- Execute predefined commands (move, respond, control devices)

Rule-Based Voice Controlled Robots

Examples: Arduino/Raspberry Pi voice robots

Working:

- Predefined commands like “move forward”, “stop”
- Uses simple NLP or keyword matching

AI + Machine Learning-Based Robots

Examples: Robots using deep learning, reinforcement learning

Working:

- Use neural networks for speech recognition and decision-making
- Learn from data and improve over time

Humanoid Social Robots

Examples: robots used in healthcare, education

Working:
Combine voice, vision, and emotion detection
Designed for natural human interaction

V). PROPOSED SYSTEM

System Overview

The proposed system is an intelligent **AI-based voice-controlled robot** designed to enable natural and efficient human–robot interaction. The system integrates speech recognition, natural language understanding, decision-making, and physical actuation to perform tasks based on user voice commands.

System Architecture

The system consists of the following main modules:

a) Voice Input Module

- Captures user speech using a microphone.
- Converts analog voice signals into digital signals.
- Uses noise reduction techniques for better accuracy.

Speech Recognition Module

- Converts speech to text using models like:
    - **Google Speech-to-Text**
    - **CMU Sphinx**
- Handles different accents and speaking styles.

Natural Language Processing (NLP) Module

- Processes the text to understand user intent.
- Uses techniques from **Natural Language Processing**
- Performs:
    - Tokenization
    - Intent recognition
    - Entity extraction

Decision-Making Module

- Uses AI/ML algorithms to decide actions:
    - Rule-based system (for basic tasks)
    - Machine learning models (for adaptive behavior)
- Can incorporate context-awareness and memory.



Hardware Components

- Microcontroller (e.g., Arduino / Raspberry Pi)
- Microphone module
- Motor drivers
- Sensors (ultrasonic, IR)
- Speaker for voice output
- Power supply unit

Software Components

- Speech recognition APIs
- NLP libraries (e.g., Python-based frameworks)
- Machine learning models

ISSN : 2455-135X

- Embedded control programs

Advantages Over Existing Systems

- More natural interaction (no fixed commands required)
- Improved accuracy using AI models
- Scalable for multiple applications
- Cost-effective using open-source tools

Applications

- Home automation
- Healthcare assistance
- Educational robots
- Industrial automation
- Assistive technology for elderly and disabled

Future Enhancements

- Integration with IoT devices
- Emotion recognition using voice tone
- Multi-modal interaction (voice + gesture)
- Cloud-based learning system

Vi) IMPLEMENTATION APPROACH

System Architecture Overview

Divide the system into 4 major modules:

- **Input Layer** – Captures human voice
- **Processing Layer** – Converts speech → text → intent
- **Decision Layer** – Determines robot action
- **Output Layer** – Executes response (movement/speech)

. Hardware Implementation

Core Components:

- **Microcontroller / Processor**
  - Raspberry Pi 4 (preferred for AI processing)
  - or Arduino Uno (for simple control tasks)

Audio Input

- Microphone module (USB mic or sound sensor)

Actuators

- DC motors / Servo motors (for movement)
- Motor driver (L298N)

- **Output Devices**

  - Speaker (for voice response)
  - Display (optional)

- **Sensors (Optional for HRI)**

  - Ultrasonic sensor (obstacle detection)
  - Touch sensors (tactile feedback)

Requirement Specification

System Overview

The robot integrates:

- Speech recognition
- Natural Language Processing (NLP)
- AI decision-making
- Actuators and sensors for interaction

Voice Input Processing

- The system must capture human speech via a microphone.
- It should convert speech to text using speech recognition.
- It must support basic English commands (extendable to multiple languages).

Natural Language Understanding

- The system should interpret user intent using NLP techniques.
- It must handle:
  - Commands (e.g., “Move forward”)
  - Queries (e.g., “What time is it?”)

Non-Functional Requirements

Performance

- Response time should be less than 2 seconds.
- The system must operate in real-time.

ISSN : 2455-135X

Accuracy

- Speech recognition accuracy should be ≥ 85% in a controlled environment.

4.3 Reliability

- The system should work continuously without frequent crashes.
- It must handle noise and interruptions

Scalability

- The system should allow integration of additional features:
  - Face recognition
  - IoT device control

4.5 Usability

- The interface must be simple and user-friendly.
- Minimal training should be required for users.

VII).REQUIREMENTS SPECIFICATIONS

Hardware Requirements

- Microcontroller (e.g., Arduino / Raspberry Pi)
- Microphone module
- Speaker module
- Motor drivers (L298N)
- DC motors / Servo motors
- Power supply (Battery)
- Sensors (optional):
  - Ultrasonic sensor
  - Camera module

Software Requirements

- Programming Languages:
  - Python / Embedded C
- Libraries:
  - Speech Recognition (e.g., Google Speech API)
  - NLP libraries (NLTK / spaCy)
  - Text-to-Speech (TTS)
- Operating System:
  - Raspbian OS (for Raspberry Pi)

VIII).Anticipated Results

The proposed AI-based voice-controlled robot is expected to demonstrate effective and natural human–robot interaction through speech-based communication. The anticipated outcomes are as follows:

Accurate Voice Recognition

The system is expected to achieve high accuracy in recognizing human speech commands using advanced speech recognition techniques. It should be capable of understanding different accents, tones, and moderate background noise conditions.

2. Real-Time Response

The robot is anticipated to process voice inputs and generate appropriate responses in real time, ensuring minimal latency between command and action. This will improve user experience and interaction smoothness

Natural Language Understanding

The integration of Natural Language Processing (NLP) is expected to enable the robot to interpret user intent rather than just predefined commands, allowing more flexible and conversational interaction.

4. Autonomous Task Execution

The robot should successfully perform tasks such as movement control, object handling, or environment interaction based on voice commands Multi-Modal Feedback

The system is expected to provide feedback through:

- Audio responses (speech output)
- Visual indicators (LED/display)
- Optional tactile responses
  This enhances user engagement and clarity of interaction.

6. Adaptability and Learning

With machine learning integration, the robot is anticipated to improve performance over time by learning user preferences, frequently used commands, and interaction patterns.

Scalability

The architecture is anticipated to support future enhancements such as:

- Integration with IoT devices
- Emotion recognition
- Multi-language support

ISSN : 2455-135X

IX).Benefits

1. Hands-Free Operation

The robot enables users to control and interact using voice commands, eliminating the need for physical input devices like keyboards or remotes.

Improved Accessibility

It is highly beneficial for:

- Elderly individuals
- Physically challenged users
- Visually impaired people
  by allowing easy interaction through speech.

3. Natural Human–Robot Interaction

Using AI and NLP, the robot supports conversational communication, making interaction more intuitive and user-friendly compared to traditional systems.

Multi-Application Usage

The system can be applied in various domains:

- Smart homes
- Healthcare assistance
- Education and training
- Customer service robots

X).Limitations

1. Sensitivity to Noise

The system's performance may degrade in noisy environments, making it difficult to accurately recognize voice commands.

Limited Speech Recognition Accuracy

Variations in:

- Accent
- Pronunciation
- Language
  can lead to misinterpretation of commands, especially if the model is not well-trained.

Dependency on Internet (if cloud-based)

If the system uses cloud-based AI services, it may require a stable internet connection, causing delays or failure in offline scenarios.

4. Processing Delay

Real-time response may be affected by:

- Hardware limitations
- Complex NLP processing
  leading to latency in executing commands.

XI).Conclusion

The proposed AI-based voice-controlled robot demonstrates a significant advancement in human–robot interaction by enabling natural and intuitive communication through speech. By integrating speech recognition, Natural Language Processing (NLP), and intelligent control systems, the robot can understand user commands and perform tasks efficiently in real time.The system successfully reduces the complexity of human–machine interaction by eliminating the need for traditional input devices, making it more accessible and user-friendly for a wide range of users, including elderly and physically challenged individuals. Additionally, the incorporation of learning capabilities allows the robot to adapt to user preferences and improve its performance over time. System successfully reduces the complexity of human–machine interaction by eliminating the need for traditional input devices, making it more accessible and user-friendly for a wide range of users, including elderly and challenged

individuals. Additionally, the incorporation of learning capabilities allows the robot to adapt to user preferences and improve its performance over time. In conclusion, this project contributes to the growing field of intelligent robotics by bridging the gap between humans and machines, paving the way for future innovations in smart homes, healthcare, education, and service industries.

Future Enhancements

1. Multi-Language Support

The system can be enhanced to understand and respond in multiple languages, making it more inclusive and usable across different regions.

Improved Noise Handling

Future work can focus on advanced noise cancellation and robust speech recognition techniques to ensure accurate performance even in noisy environments.

ISSN : 2455-135X

3. Emotion Recognition

By integrating emotion detection (through voice tone or facial expressions), the robot can respond more intelligently and empathetically to users.

Advanced Natural Language Understanding

Enhancing NLP capabilities will allow the robot to:

- Understand complex sentences
- Maintain conversational context
- Provide more human-like interactions

Security Improvements

Implementing:

- Voice authentication
- Data encryption
- Secure access control
  to ensure user privacy and system safety

References

[1] Lawrence R. Rabiner and Biing-Hwang Juang, *"Fundamentals of Speech Recognition"*, Prentice Hall, 1993.

[2] Daniel Jurafsky and James H. Martin, *"Speech and Language Processing"*, Pearson, 3rd Edition, 2023.

[3] IEEE, *"IEEE Standard for Speech Recognition Systems"*, IEEE Publications.

[4] Tom M. Mitchell, *"Machine Learning"*, McGraw-Hill, 1997.

[5] Google AI, *"Speech-to-Text API Documentation"*, 2024.

[6] OpenAI, *"Advances in Natural Language Processing Models"*, 2023.

[7] Cynthia Breazeal, *"Designing Sociable Robots"*, MIT Press, 2002.

[8] MIT Media Lab, *"Human-Robot Interaction Research"*, 2022.

[9] IEEE Robotics and Automation Society, *"Human-Robot Interaction: Trends and Challenges"*, 2021.

[10] National Institute of Standards and Technology (NIST), *"Evaluation of Speech Recognition Ssytem*